







GE Bright StikTM LED 6/STIK/840/100-240/E27/F 3/15

93023174

Product information

LED Bright Stik™ illuminates spaces with light instantly. Its sleek cylindrical shape fits in place of a traditional incandescent bulb - and some sockets where a traditional bulb or CFL doesn't fit . Replace a 40W, 60W & 100W incandescent with an LED Bright Stik and keep saving for the next 15 years*. That's a long time you can spend not worrying about light bulbs.





Product data

Product Code	93023174
Bulb Finish	White
Bulb Diameter [mm]	37
Nominal Length [mm]	116
Net weight per piece [g]	50
Brand	GE BX
Cap/Base	E27

Performance data

Nominal/ Rated Beam Angle [°]	240
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15000
Power factor	0.7
Nominal correlated colour temperature (CCT) [K]]	4000
Nominal lumens [lm]	470
Colour Rendering Index (CRI) [Ra]	80

Electrical data

Nominal lamp power factor	0.7
Number of switching cycles	100000
Dimming Capability	No
Nominal power [W]	6







Logistic data

DUN Code	10064894531306
EAN Code	0064894531309
Pack Quantity	15
Product status	Available

Downloads & Links

Go to the catalog site (HTTP)

Product datasheet (PDF)

High-resolution image (JPG)

BrightStik range Datasheets (HTTP)

BrightStik range images (HTTP)

Lighting design tools & calculators (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)